

Message

From: Brad Gentry [bgentry@iwmconsult.com]
Sent: 9/11/2018 7:23:30 PM
To: Bury, Carolyn [bury.carolyn@epa.gov]
CC: Joe Bianchi (jbian@amphenol-aao.com) [jbian@amphenol-aao.com]
Subject: RE: Quick Call
Attachments: FIG4.pdf; FIG1.pdf; FIG2.pdf; FIG3.pdf; Draft Air Analytical Results Table_ Ex. 6 Personal Privacy (PP)

Draft Figures and Table.

Sincerely,

Bradley E. Gentry, LPG
 Vice President/Brownfield Coordinator
 IWM Consulting Group, LLC
 7428 Rockville Road
 Indianapolis, IN 46214
 Mobile: (317) 435-8877
 Office: (317) 968-9256
 Fax: (317) 347-9326

From: Bury, Carolyn <bury.carolyn@epa.gov>
Sent: Tuesday, September 11, 2018 3:08 PM
To: Brad Gentry <bgentry@iwmconsult.com>
Cc: Joe Bianchi (jbian@amphenol-aao.com) <jbian@amphenol-aao.com>
Subject: RE: Quick Call

Yes.
 I was about to call you to discuss the sewer sop.
 Give me a call.
 Thanks.

From: Brad Gentry [mailto:bgentry@iwmconsult.com]
Sent: Tuesday, September 11, 2018 2:07 PM
To: Bury, Carolyn <bury.carolyn@epa.gov>
Cc: Joe Bianchi (jbian@amphenol-aao.com) <jbian@amphenol-aao.com>
Subject: Quick Call

Hi Carolyn

Are you available for a quick call this afternoon? We have received the VI sampling results and would like to discuss them with you.

Thanks

Sincerely,

Bradley E. Gentry, LPG
 Vice President/Brownfield Coordinator
 IWM Consulting Group, LLC
 7428 Rockville Road

Indianapolis, IN 46214
Mobile: (317) 435-8877
Office: (317) 968-9256
Fax: (317) 347-9326